

THE CHEMICAL AND BIOLOGICAL SCIENCES MASS SPECTROMETRY FACILITY

Located in the Department of Chemistry, Room 375
University of Georgia, Athens, GA 30602-2556
<http://www.uga.edu/mass-spec>

Submitted by: _____ Date submitted: _____

E-Mail Address: _____ Phone No.: _____
Notification of completed analysis is by E-mail

Company: _____

Address: _____

Sample Information

Sample Name: _____ Approximate Molecular Weight: _____

Special Handling of Sample: _____

Service Requested (costs are for Non-State of Georgia institutions)

GC-MS (\$70 per GC run). Sample boiling point? _____

ESI (\$70 per sample).

LC-MS (\$85 per LC run).

MALDI (\$65 per sample).

MALDI with quick desalting step (\$85 per sample).

High Resolutions EI direct probe (\$85 per sample)*.

High Resolution ESI (\$100 per sample)*.

High Resolution measurements may require reconfiguring the source and can cause analysis delays.

Sample is in or soluble in: _____

If sample is in solution, what is the solvent and concentration: _____

Other sample info (e.g. protein, nucleoside, etc.) and comments.

For questions contact Dr. Dennis Phillips @ 706-542-1802 or drphillips@chem.uga.edu

Operator: _____ Date: _____

Comments: _____