


Let's Preserve



Peaches, Apricots, Nectarines

Recommended Varieties

Triogem, Redhaven, Redskin, and Sunhigh. Elberta is less acceptable. All are yellow free-stone peaches. Most apricot and nectarine varieties are suitable for canned and frozen products.

Quantity

A bushel of nectarines or peaches weighs 48 pounds and yields 16 to 24 quarts. An average of 17½ pounds makes a 7-quart canner load; 11 pounds makes 9 pints. A bushel of apricots weighs 50 pounds and yields 20 to 25 quarts. An average of 16 pounds makes a 7-quart canner load; 10 pounds makes 9 pints. An average of 1¼ pounds makes 1 pint of frozen product.

Quality

Choose ripe, mature fruit of a quality suitable for eating fresh. Canned hot packs are better than raw packs. Nectarines make poor-quality preserved products.

Preparation

Dip peaches (optional for apricots) in boiling water for 30 to 60 seconds or until skins loosen. Wash nectarines; do not dip in hot water or remove skins. Wash apricots if skins are not removed. Dip quickly in cold water and slip off skins. Cut in half, remove pits, and slice if desired. To prevent darkening, keep peeled fruit in water with vitamin C made by mixing 1 teaspoon of ascorbic acid crystals or six 500-milligram vitamin C tablets in 1 gallon of water.

FLOATING FRUIT

To avoid floating fruit, start with firm, ripe fruit. Heat fruit before packing and use a light to medium syrup. Pack fruit as closely as possible without crushing. Follow directions for processing times.

FREEZING PROCEDURE

Don't freeze more than 2 pounds of food per cubic foot of freezer capacity per day. These fruits may be packed with syrup or dry sugar.

TO MAKE A SYRUP PACK

Mix and dissolve 2½ cups of sugar and ½ teaspoon of ascorbic acid or three 500-milligram vitamin C tablets in 4 cups of water. Add 1 cup of this syrup to each quart of prepared fruit.

TO MAKE A DRY PACK

Mix ½ cup of dry sugar per quart of prepared fruit.

TO PACKAGE

Fill pint- or quart-size freezer bags to 3 to 4 inches from their tops, squeeze out air, seal, and label. Before freezing, bags may be inserted into reusable rigid plastic freezer containers for added protection against punctures and leakage.

CANNING PROCEDURE

Wash jars. Prepare lids according to manufacturer's instructions. Fruits in jars may be covered with your choice of water, apple or white grape juice, or, more commonly, with a very light, light, or medium syrup. To make a very light syrup for a canner load of quarts, mix 1¼ cups of sugar in 10½ cups of water and heat to dissolve; mix and dissolve 2¼ cups of sugar in 9 cups of water to make a light syrup; mix 3¾ cups of sugar in 8¼ cups of water to make a medium syrup.



PENNSSTATE



College of Agricultural Sciences
Agricultural Research and Cooperative Extension



Table 1. Recommended process times in a boiling water canner at designated altitudes.

STYLE OF PACK	JAR SIZE	PROCESS TIME AT ALTITUDE OF			
		0–1,000 FT (MIN)	1,001–3,000 FT (MIN)	3,001–6,000 FT (MIN)	ABOVE 6,000 FT (MIN)
Hot	Pint	20	25	30	35
	Quart	25	30	35	40
Raw	Pint	25	30	35	40
	Quart	30	35	40	45

Table 2. Recommended process times in a pressure canner at designated altitudes.

STYLE OF PACK	JAR SIZE	PROCESS TIME (MIN)	CANNER GAUGE PRESSURE AT ALTITUDES OF					
			DIAL GAUGE CANNER				WEIGHTED GAUGE CANNER	
			0–2,000 FT (LBS)	2,001–4,000 FT (LBS)	4,001–6,000 FT (LBS)	6,001–8,000 FT (LBS)	0–1,000 FT (LBS)	ABOVE 1,000 FT (LBS)
Raw or hot	Pint or quart	10	6	7	8	9	5	10

TO MAKE A HOT PACK

Place drained fruit in boiling syrup, juice, or water and bring to a boil. Fill clean jars with hot fruit and cooking liquid. To make a raw pack, fill jars with raw fruit, cut side down, and add hot water, juice, or syrup. Leave ½-inch headspace and wipe sealing edge of jars with a clean, damp paper towel. Add lids and tighten screw bands. You may process jars in a boiling water or pressure canner.

TO PROCESS IN A BOILING WATER CANNER

Preheat canner filled halfway with water to 180°F for hot packs or 140°F for raw packs. Load sealed jars onto the canner rack and lower with handles, or load one jar at a time with a jar lifter onto rack in canner. Add water, if needed, to 1 inch above jars and cover. When water boils vigorously, lower heat to maintain a gentle boil and process for recommended time.

TO PROCESS IN A PRESSURE CANNER

Place jar rack, 2 inches of water, and sealed jars in canner. Fasten lid and heat canner on high setting. After steam exhausts for 10 minutes, add weighted gauge or close petcock to pressurize the canner. Start timing the process when the desired pressure is reached.

Regulate heat to maintain a uniform pressure. When processing is complete, remove canner from heat. Air-cool canner until it is fully depressurized. Then slowly remove weighted gauge or open petcock, wait 2 more minutes, and unfasten and carefully remove canner lid.

After processing is complete, remove jars from canner with a jar lifter and place on a towel or rack. Do not retighten screw bands. Air-cool jars for 12 to 24 hours. Remove screw bands and check lid seals. If the center of the lid is indented, the jar is sealed. Wash, dry, label, and store jar in a clean, cool, dark place. If lid is unsealed, examine and replace jar if defective, use new lid, and reprocess as before. Wash screw bands and store separately. Fruits are best if consumed within a year and are safe as long as the lids remain vacuum sealed.

For additional information about food preservation, visit the Penn State Food Safety Web site at foodsafety.cas.psu.edu and select the Home Food Preservation Web site, or contact Penn State Cooperative Extension in your county.

Prepared by Luke LaBorde, associate professor of food science; Nancy Wiker, senior extension educator in Lancaster County; and Martha Zepp, extension project assistant. Adapted from original material developed by Gerald D. Kuhn, professor emeritus of food science.

Visit Penn State's College of Agricultural Sciences on the Web: www.cas.psu.edu

Penn State College of Agricultural Sciences research, extension, and resident education programs are funded in part by Pennsylvania counties, the Commonwealth of Pennsylvania, and the U.S. Department of Agriculture.

This publication is available from the Publications Distribution Center, The Pennsylvania State University, 112 Agricultural Administration Building, University Park, PA 16802. For information telephone 814-865-6713.

This publication is available in alternative media on request.

The Pennsylvania State University is committed to the policy that all persons shall have equal access to programs, facilities, admission, and employment without regard to personal characteristics not related to ability, performance, or qualifications as determined by University policy or by state or federal authorities. It is the policy of the University to maintain an academic and work environment free of discrimination, including harassment. The Pennsylvania State University prohibits discrimination and harassment against any person because of age, ancestry, color, disability or handicap, national origin, race, religious creed, sex, sexual orientation, or veteran status. Discrimination or harassment against faculty, staff, or students will not be tolerated at The Pennsylvania State University. Direct all inquiries regarding the nondiscrimination policy to the Affirmative Action Director, The Pennsylvania State University, 328 Boucke Building, University Park, PA 16802-5901, Tel 814-865-4700/V, 814-863-1150/TTY.

© The Pennsylvania State University 2004

Produced by Information and Communication Technologies in the College of Agricultural Sciences

7.5M8/04ps3356c

CAT UK122